

Ref. 1CHIC30

Cut - General & Heavy Duty Work

Oily Environment



The +

Impact Protection - TPR reinforcements on back of hand and fingers
Reinforced padded palm and side of the hand
Hook and loop strap for safe secure fit
Good grip and sealing in oily areas
High cut protection - level D
Optimum durability of the glove (level of abrasion 4/4)

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1CHIC30007	7	5	50
1CHIC30008	8	5	50
1CHIC30009	9	5	50
1CHIC30010	10	5	50
1CHIC30011	11	5	50

DESCRIPTION

Grey seamless support from HDPE, polyester, elastane, 13 gauge, double nitrile coating, smooth on the ¾ hand, and full thumb, and black sandy nitrile on the palm, TPR reinforcements on back of hand and fingers, nitrile crotch reinforcement between thumb and index, palm and side of hand reinforcement, Hook and loop wrist adjustment.

SECTORS

- Mining
- Extracting Oil and Gas
- Energy (production and distribution)
- Regional/public authorities
- Construction - finishing work

APPLICATIONS

Heavy handling in wet and/or oily area, mining industry, oil and gas industry, heavy construction work, logistics.

SALES PACKAGING



Hangable individual pack

See also

VARIANTS



1CHIC60

TECHNICAL FEATURES



Gauge 13

Color	Grey	Reinforced part place 2	Back
Color 2	Black	Reinforced part material 2	TPR
Color 3	Red	Reinforced part place 3	Palm
Shape	Glove	Reinforced part material 3	Latex
Gloves environment	Oily	Type Of Cuff	Wrist with velcro closure
Glove type	Seamless knitting		
Support material	HPPE polyester elastane		
Coating level	3/4		
Material of coating	Nitrile		
Coating finition	Smooth		
Coating level	Palm		
Material of coating	Nitrile		
Coating finition 2	Sandy		
Reinforced part place	Fingers		
Reinforced part material	TPR		

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/06/20/1862

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France



EPI CAT. II

EN420:2003 + A1:2009

General requirements for protective gloves

EN388:2016



Protection from mechanical risks

4.4.4.3.D.P

RETAILER STAMP

MAJ 01/02/2023