coverguard

TECHNICAL DATASHEET EUROCUT N300

Ref. 1CUNC00

Cut - Precision Work







Ŀ

Dry Environment

The +

RESISTANT : Crotch between thumb and index Dexterity Good grip in slightly oily areas

PURCHASE PACKAGING

Ref.	Size	Inner	Carton
1CUNC00007	7	5	50
1CUNC00008	8	5	50
1CUNC00009	9	5	50
1CUNC00010	10	5	50
1CUNC00011	11	5	50
1CUNC00012	12	5	50

SALES PACKAGING



Hangable individual pack

See also





1CUCC00

DESCRIPTION

Blue seamless support from HDPE, polyester, elastane, 13 gauge, Black nitrile foam palm coating,

Nitrile patch reinforcement between thumb and index Knitted wrist.

SECTORS

Heavy & process industries (steel, metallurgy, paper, concrete, plaster...)

Light Industries

Infrastructure, building industry

Transport (excluding manufacturing) and logistics

APPLICATIONS

Handling in dry or slightly oily environments, assembly of parts, mechanical engineering, automotive, glass, construction and building industries, communities and public services, maintenance, woodworking, etc.



COVERGUARD 555 rue de la Dombes, 01700 Miribel - Tél +33 4 72 26 57 57

coverguard

EUROCUT N300



TECHNICAL FEATURES

- Color Color 2 Shape Gloves environment Glove type Support material Coating level Material of coating Coating finition Reinforced part place Reinforced part material Type Of Cuff
- Blue Black Glove Dry, slightly oily environment Seamless knitting HDPE polyester elastane Palm nitrile Foam Between thumb and index finger Nitrile Elastic wrist

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 0075/1747/162/07/20/1926

Delivered by CTC (0075) 4 rue Hermann. Frenkel 69367 Lyon Cedex 07 France

()

EPI CAT. II

EN420:2003 + A1:2009

General requirements for protective gloves

Protection from mechanical risks



4.X.4.3.C.

 Cut resistance ANSI/SEA 105-2016 / ASTM F2992M-15

RETAILER STAMP

MAJ 15/10/2021