coverguard

TECHNICAL DATASHEET EUROWELD 140

Ref. 1WEL14

Specialties



нот		എ
1	ANTISTATIC	

	The +
From size 9 to 11 Comfort Antistatic	
Good value for money	

Welding

PURCHASE PACKAGING

Ref.	Size	Inner	Carton	
1WEL140009	9	10	60	
1WEL140010	10	10	60	
1WEL140011	11	10	60	

SALES PACKAGING



DESCRIPTION

Energy (production and distribution)

Construction - finishing work

Services and distribution

SECTORS

Maintenance

Split cowhide leather Wing thumb Safety cuff in split leather, length 15cm

APPLICATIONS

Protection against contact heat up to 100°C for 15 seconds; MMA welding (Rutile or cellulosic), MAG/MIG welding (mixed gas or CO2), coated wires; Plasma cutting, gouging, flame cutting work...

See also



coverguard

EUROWELD 140

TECHNICAL FEATURES

Grey Glove Moderate heat Cut and sewn Welding Leather Cowhide Split leather Leather Cowhide Split leather Safety cuff / Straight cut 1.0 - 1.3mm 150

STANDARD(S)

This glove conforms to the personal protective equipment model covered by the EC type-examination certificate 2777/11676-02/E00-00

Delivered by SATRA Technology Europe Ltd (2777) Bracetown Business Park- Clonee- Dublin 15 Dublin Ireland

CE	EPI CAT. III
EN420:2003 + A1:2009	General requirements for protective gloves
EN388:2016	Protection from mechanical risks
EN407:2004 4.1.2.X.4.X	Protection from heat and fire
EN12477:2001+A1:2005	Protective gloves for welders

EN12477:2001+A1:2005 TYPE A

Protective gloves for welders

RETAILER STAMP

MAJ 24/02/2022